# Genetic Evaluation Summary

**HONLDM693852690 HOLBRA AUSTIN**

Born 07-MAY-11 7.44%INB 17%R

| | | | | | |
|---|---|---|---|---|---|
| Sire: | HOCANM8956379 | MAPLE-DOWNS-I G W ATWOOD | 24-FEB-07 | 9.55% | 19% |
| Dam: | HONLDF487850147 | HOLBRA HEIDI 2 | 21-SEP-07 | 6.45% | 15% |
| MGS: | HOUSAM131823833 | SANDY-VALLEY BOLTON-ET | 11-SEP-01 | 6.31% | 14% |

## PRODUCTION

MACE 17*DEC

| | | | Kg | %RK | %Dev |
|---|---|---|---|---|---|
| Herds | 90 | | | | |
| Daughters | 117 | Milk | -22 | 17% | |
| Lactations | | Fat | 59 | 80% | +0.59 |
| Reliability | 76% | Protein | 10 | 21% | +0.11 |

## Pro$

**$537**

## LIFETIME PERFORMANCE INDEX

| | | |
|---|---|---|
| **MACE LPI** | **2221** | **64** |
| PRODUCTION | 977 | Rel |
| DURABILITY | 939 | |
| HEALTH & FERTILITY | 305 | |

## CONFORMATION

MACE 17*DEC — Herds: 72 Daughters: 97 Reliability: 67%

| SCORECARD | Rating | %RK |
|---|---|---|
| Conformation | 4 | 71% |
| Mammary System | 5 | 77% |
| Feet & Legs | 2 | 58% |
| Dairy Strength | 5 | 82% |
| Rump | -8 | 6% |

| DESCRIPTIVE | | | |
|---|---|---|---|
| Udder Depth | 4 D | Deep | Shallow |
| Udder Texture | | Fleshy | Soft |
| Median Suspensory | 7 | Weak | Strong |
| Fore Attachment | 3 | Weak | Strong |
| Front Teat Placement | 4 C | Wide | Close |
| Rear Attachment Height | 1 | Low | High |
| Rear Attachment Width | | Narrow | Wide |
| Rear Teat Placement | 4 C | Wide | Close |
| Teat Length | 1 L | Short | Long |
| Foot Angle | -4 | Low | Steep |
| Heel Depth | | Shallow | Deep |
| Bone Quality | | Coarse | Flat |
| Rear Legs Side View | 4 C | Straight | Curved |
| Rear Legs Rear View | 5 | Hocked-in | Straight |
| Stature | 0 | Short | Tall |
| Height at Front End | | Low | High |
| Chest Width | 4 | Narrow | Wide |
| Body Depth | 5 | Shallow | Deep |
| Angularity | 6 | Non-Angular | Angular |
| Loin Strength | | Weak | Strong |
| Rump Angle | 14 H | High | Low |
| Pin Width | 3 | Narrow | Wide |
| Thurl Placement | | Back | Ahead |

## FUNCTIONAL

Difference from Breed Average (SD)

| | Rating | Rel | | | Breed Avg. |
|---|---|---|---|---|---|
| Herd Life | 98 M | 45% | Short | Long | 100 |
| Somatic Cell Score | 2.98 M | 74% | Undesirable | Desirable | 3.00 |
| Mastitis Resistance | 99 PA | 50% | Susceptible | Resistant | 100 |
| Metabolic Disease Resistance | 98 PA | 40% | Susceptible | Resistant | 100 |
| Digital Dermatitis | 101 PA | 42% | Susceptible | Resistant | 100 |
| Lactation Persistency | 102 PA | 44% | Poor | High | 100 |
| Daughter Fertility | 96 PA | 43% | Poor | High | 100 |
| Milking Speed | 101 PA | 44% | Slow | Fast | 100 |
| Milking Temperament | 103 PA | 43% | Nervous | Calm | 100 |
| Calving Ability | 96 M | 46% | Difficult | Easy | 100 |
| Daughter Calving Ability | 93 PA | 43% | Difficult | Easy | 100 |
| Body Condition Score | 98 M | 79% | Low | High | 100 |